



Acker



AMS



Astec



Atlas Copco

| Company Name and Address  | RIG MOUNTS<br>Tk – Truck<br>Tr – Trailer<br>ATV/Track | DRILLING TYPE       | DRILLING METHOD<br>M – Mud<br>A – Air<br>DTH – Hammer | POWER                   |                    | PULLBACK<br>In lbs<br>min – max |
|---|---|---------------------|---|-------------------------|--------------------|---------------------------------|
|   |   |                     |   | Dk – Deck<br>Tk – Truck | HP<br>min – max    |                                 |
| <b>Acker Drill Co. Inc.</b><br>P.O. Box 830<br>Scranton, PA 18501<br>(800) 752-2537<br>(570) 586-2659 (fax)<br>sales@ackerdrill.com<br>www.ackerdrill.com                         | Tk / Tr<br>ATV/Track                                  | AUGER               | M / A   | Dk / Tk                 | 47–106             | 11,000–23,000                   |
|   | Tk / Tr<br>ATV/Track                                  | DIRECT CIRCULATION  | M / A / DTH   | Dk / Tk                 |                    | 21,000–28,000                   |
|   | Tk / Tr<br>ATV/Track                                  | TOP DRIVE ROTARY    | M / A / DTH   | Dk / Tk                 |                    | 21,000–28,000                   |
|   | Tk / Tr<br>Track                                      | REVERSE CIRCULATION | M / A / DTH   | Dk / Tk                 | 106–210            | 16,500                          |
| <b>AMS Inc.</b><br>105 Harrison St.<br>American Falls, ID 83211<br>(208) 226-2017<br>(208) 226-7280 (fax)<br>ams@ams-samplers.com<br>www.ams-samplers.com                         | Tk / Track  | SONIC/ CORING       | Sonic Rotosonic                                       | Dk / Tk                 | 99–173             | 8000–13,000                     |
|   | Tk / Tr<br>ATV/Track                                  | AUGER               | Hollowstem Auger                                      | Dk / Tk                 | 32–100             | 42,000–48,000                   |
|   | Tk / Tr<br>ATV/Track                                  | DIRECT PUSH         | Direct Push   | Dk / Tk                 | 32–100             | 42,000–48,000                   |
| <b>Astec Underground</b><br>9600 Corporate Park Dr.<br>Loudon, TN 37774<br>(865) 408-2116<br>(865) 458-8575 (fax)<br>info@astecunderground.com<br>www.astecunderground.com        | Tk / Track  | TOP DRIVE ROTARY    | M / A / DTH   | Dk                      | 580                | 0–45,000                        |
| <b>Atlas Copco CMT</b><br>3700 E. 68th Ave.<br>Commerce City, CO 80022<br>(800) 732-6762<br>(303) 217-2839 (fax)<br>clark.herbst@us.atlascopco.com<br>www.atlascopcowaterwell.com | Tk  | TOP DRIVE ROTARY    | M / A / DTH   | Dk<br>Tk                | 575–755<br>410–600 | 40,000–70,000<br>30,000–70,000  |
|   | Tr  | SONIC/ CORING       | A   | Dk                      |                    | 20,200–31,000                   |
|   | Tk  | REVERSE CIRCULATION | M / A / DTH   | Dk / Tk                 | 575–600            | 40,000–70,000                   |
|   | Tk  | OIL/GAS             | M / A / DTH   | Dk                      | 755–950            | 110,000–200,000                 |
| <b>Buckeye Drill Co.</b><br>999 Zane St.<br>Zanesville, OH 43701<br>(740) 452-3641<br>(740) 454-3311 (fax)<br>sam@buckeyedrill.com<br>www.buckeyedrill.com                        | Tk / Tr<br>ATV/Track                                  | CABLE TOOL          | Percussion  | Dk                      | 50–155             |                                 |
| <b>Central Mine Equipment Co.</b><br>4215 Rider Trail North<br>St. Louis, MO 63045<br>(314) 291-7700<br>(314) 291-4880 (fax)<br>info@cmeco.com<br>www.cmeco.com                   | Tk / Tr<br>ATV/Track                                  | AUGER               | M / A / DTH   | Dk                      | 59–250             | 19,600–62,830                   |

| Company Name and Address  | RIG MOUNTS<br>Tk – Truck<br>Tr – Trailer<br>ATV/Track | DRILLING TYPE              | DRILLING METHOD<br>M – Mud<br>A – Air<br>DTH – Hammer | POWER                   |                    | PULLBACK<br>In lbs<br>min – max |
|---|---|----------------------------|---|-------------------------|--------------------|---------------------------------|
|   |   |                            |   | Dk – Deck<br>Tk – Truck | HP<br>min – max    |                                 |
| <b>DeepRock Manufacturing</b><br>2209 Anderson Rd.<br>Opelika, AL 36801<br>(334) 749-3377<br>(334) 749-5601<br>mbeasley@deeprook.com<br>www.deeprook.com                        | Tk / Tr<br>Track                                      | AUGER                      |   | Dk / Tk                 | 50–80              | 6000–16,000                     |
|   | Tk / Tr<br>Track                                      | DIRECT<br>CIRCULATION      | M   | Dk / Tk                 | 170–300            | 8800–16,000                     |
|   | Tk / Tr<br>Track                                      | TOP DRIVE<br>ROTARY        | M / A / DTH   | Dk / Tk                 | 170–300            | 8800–16,000                     |
| <b>Diedrich Drill Inc.</b><br>5 Fisher St.<br>LaPorte, IN 46350<br>(800) 348-8809<br>(219) 326-7788<br>(219) 324-5962 (fax)<br>ddijl@diedrichdrill.com<br>www.diedrichdrill.com | Tk / Tr<br>ATV/Track                                  | AUGER                      | M / A / DTH   | Dk / Tk                 | 25–115             | 9800–30,000                     |
|   | Track   | SONIC/<br>CORING           | M / A   | Dk                      | 375                | 20,000                          |
| <b>Drilling Supply &amp; Manufacturing</b><br>7301 Hwy. 183 South<br>Austin, TX 78744<br>(512) 243-1986<br>(512) 243-1091 (fax)<br>randy@dsm-mayhew.com<br>www.dsm-mayhew.com   | Tk / Tr<br>ATV  | TABLE DRIVE<br>ROTARY      | M / A / DTH   | Dk / Tk                 | 250–600            | 30,000–100,000                  |
| <b>Duramast Industries Inc.</b><br>P.O. Box 158<br>Bedias, TX 77831<br>(936) 395-0334<br>(936) 395-0336 (fax)<br>sales@duramast.com<br>www.duramast.com                         | Tk / Tr<br>Track                                      | REVERSE<br>CIRCULATION     | M / A / DTH   |                         | 30–100             | 138,000                         |
|   | Tk / Tr<br>Track                                      | DIRECT<br>CIRCULATION      | M / A / DTH   |                         | 30–100             | 138,000                         |
|   | Track   | HORIZONTAL/<br>DIRECTIONAL |   |                         |                    | 138,000                         |
|   | Tr / Track  | SONIC/<br>CORING           | M / A / DTH   |                         | 30–100             | 138,000                         |
|   | Tk / Tr<br>Track                                      | AUGER                      | M / A   |                         | 30–100             | 138,000                         |
|   | Tk / Tr<br>Track                                      | TOP DRIVE<br>ROTARY        | M / A / DTH   |                         | 30–100             | 138,000                         |
| <b>Enid Drill Systems Inc.</b><br>4510 E. Market<br>Enid, OK 73701<br>(580) 234-5971<br>(580) 234-5980 (fax)<br>www.eniddrill.com   | Tk / Tr   | AUGER                      |   | Dk / Tk                 | 75–150             | 6000                            |
|   | Tk / Tr   | REVERSE<br>CIRCULATION     | M   | Dk<br>Tk                | 300–600<br>300–450 | 60,000<br>50,000                |
|   | Tk / Tr   | DIRECT<br>CIRCULATION      | M / A   | Dk<br>Tk                | 300–600<br>300–450 | 60,000<br>50,000                |
|   | Tk / Tr   | TABLE DRIVE<br>ROTARY      | M / A   | Dk<br>Tk                | 300–600<br>300–450 | 60,000<br>50,000                |
|   | Tk / Tr   | TOP DRIVE<br>ROTARY        | M / A   | Dk<br>Tk                | 300–600<br>300–450 | 60,000<br>50,000                |
| <b>Foremost</b><br>1225 64th Ave. NE<br>Calgary, AB<br>Canada T2E 8P9<br>(800) 661-9190<br>(403) 295-5800<br>(403) 295-5834 (fax)<br>sales@foremost.ca<br>www.foremost.ca       | Tk / Tr<br>Track                                      | TOP DRIVE<br>ROTARY        | M / A / DTH   | Dk                      | 525–600            | 80,000                          |
|   | Tk / Tr   | TABLE DRIVE<br>ROTARY      | Casing<br>Rotator                                     | Dk                      | 525–600            | 40,000–60,000                   |
|   |   | REVERSE<br>CIRCULATION     |   |                         |                    |                                 |



Buckeye Drill



Central Mine



DeepRock



Diedrich



Drilling Supply & Manufacturing



Duramast



Foremost



Fraste



Gus Pech

| Company Name and Address   | RIG MOUNTS<br>Tk – Truck<br>Tr – Trailer<br>ATV/Track | DRILLING TYPE           | DRILLING METHOD<br>M – Mud<br>A – Air<br>DTH – Hammer | POWER                   |                    | PULLBACK<br>In lbs<br>min – max |
|--|---|-------------------------|---|-------------------------|--------------------|---------------------------------|
|  |   |                         |   | Dk – Deck<br>Tk – Truck | HP<br>min – max    |                                 |
| <b>Fraste SpA</b><br>Via Molino Di Sopra<br>37054 Nogara (VR) Italy<br>+39 0442-510233<br>+39 0442-88426 (fax)<br>fraste@fraste.com<br>www.fraste.com  | Tk / Tr / ATV   | AUGER                   |   | Dk / Tk                 | 36–710             | 3300–132,300                    |
|  | Tk / Tr / ATV   | REVERSE CIRCULATION     | M / A   | Dk / Tk                 | 68–710             | 6600–132,300                    |
|  | Tk / Tr / ATV   | DIRECT CIRCULATION      | M / A / DTH   | Dk / Tk                 | 36–710             | 3300–132,300                    |
|  | Tk / Tr   | TOP DRIVE ROTARY        | M / A / DTH   | Dk / Tk                 | 36–710             | 3300–132,300                    |
|  | Tk / Tr / ATV   | SONIC/ CORING           | M   | Dk / Tk                 | 36–710             | 3300–132,300                    |
|  | Tk / Tr / ATV   | CABLE TOOL              |   | Dk / Tk                 | 36–710             | 3300–132,300                    |
|  | Tk / Tr / ATV   | TABLE DRIVE ROTARY      | M / A / DTH   |                         |                    | 3960                            |
| <b>GEFCO</b><br>2215 S. Van Buren<br>Enid, OK 73703<br>(580) 234-4141<br>(580) 233-6807 (fax)<br>boswald@gefco.com<br>www.gefco.com  | Tk / ATV  | CABLE TOOL              | Percussion  | Dk                      | 50–150             | 20,000                          |
|  | Tk / Tr   | REVERSE CIRCULATION     | M / A / DTH   | Dk                      | 200–700            | 10,000–200,000                  |
|  | Tk / Tr   | DIRECT CIRCULATION      | M / A / DTH   | Dk                      | 200–700            | 10,000–300,000                  |
|  | Tk / Tr   | TABLE DRIVE ROTARY      | M / A / DTH   | Dk                      | 200–700            | 10,000–300,000                  |
|  | Tk / Tr   | TOP DRIVE ROTARY        | M / A / DTH   | Dk                      | 200–700            | 10,000–300,000                  |
|  | Tk / Tr   | HORIZONTAL/ DIRECTIONAL | M / A / DTH   | Dk                      | 200–700            | 10,000–300,000                  |
| <b>Geoprobe Systems</b><br>1835 Wall St.<br>Salina, KS 67401<br>(800) 436-7762<br>(785) 825-2097 (fax)<br>info@geoprobe.com<br>www.geoprobe.com  | Tk / ATV  | AUGER                   | M / A / DTH   | Dk / Tk<br>Dk           | 54–75<br>54–120    | 47,000<br>47,000–80,000         |
|  | ATV   | DIRECT CIRCULATION      | M / A / DTH   | Dk                      | 120                | 80,000                          |
|  | ATV   | TOP DRIVE ROTARY        | M / A / DTH   | Dk                      | 120                | 80,000                          |
|  | ATV   | SONIC/ CORING           | M / A / DTH   | Dk                      | 54–120             | 47,000–80,000                   |
| <b>Gus Pech Mfg. Co. Inc.</b><br>1480 Lincoln St. SW<br>P.O. Box 96<br>LeMars, IA 51031<br>(800) 383-7324<br>(712) 546-4145<br>(712) 546-8945 (fax)<br>guspech@frontier.com<br>www.guspech.com | Tk / Tr<br>Track                                      | AUGER                   |   | Dk<br>Tk                | 100–200<br>200–435 | 6625–40,000                     |
|  | Tk / Tr   | BUCKET                  |   | Dk / Tk                 |                    | 14,000–18,000                   |
|  | Tk / Tr<br>Track                                      | DIRECT CIRCULATION      | M / A   | Dk / Tk                 |                    | 6625–40,000                     |
|  | Tk / Tr<br>Track                                      | TABLE DRIVE ROTARY      | M / A   | Dk / Tk                 |                    | 6625–40,000                     |
|  | Tk / Tr<br>Track                                      | TOP DRIVE ROTARY        | M / A   | Dk / Tk                 |                    | 6625–40,000                     |
|  | Tk / Tr<br>Track                                      | SONIC/ CORING           | M / A   | Dk / Tk                 |                    | 6625–40,000                     |

| Company Name and Address  | RIG MOUNTS<br>Tk – Truck<br>Tr – Trailer<br>ATV/Track | DRILLING TYPE           | DRILLING METHOD<br>M – Mud<br>A – Air<br>DTH – Hammer | POWER                   |                    | PULLBACK In lbs<br>min – max |
|---|---|-------------------------|---|-------------------------|--------------------|------------------------------|
|   |   |                         |   | Dk – Deck<br>Tk – Truck | HP<br>min – max    |                              |
| <b>Laibe Corp./Versa-Drill</b><br>1414 Bates St.<br>Indianapolis, IN 46201<br>(800) 942-3388<br>(317) 266-8426 (fax)<br>sales@laibecorp.com<br>www.laibecorp.com                      | Tk  | REVERSE CIRCULATION     | M / A   | Dk / Tk                 | 330–630            | 40,000–95,000                |
|   | Tk / ATV  | TOP DRIVE ROTARY        | M / A / DTH   | Dk / Tk                 | 330–630            | 20,000–95,000                |
|   | Tk / ATV  | SONIC/ CORING           | M / A   | Tk                      | 330–630            | 26,000                       |
|   | Tk / ATV  | HORIZONTAL/ DIRECTIONAL | M / A / DTH   | Dk / Tk                 | 330–630            | 40,000–95,000                |
| <b>Marl Technologies Inc.</b><br>5603-54th St.<br>Edmonton, AB<br>Canada T6B 3G8<br>(780) 435-8500<br>(780) 434-7242 (fax)<br>info@marltechnologies.com<br>www.marltechnologies.com   | Tk / Track  | AUGER                   |   | Tk                      | 100–200<br>210–300 | 9800–18,000<br>10,000–30,000 |
|   | Tk / Track  | REVERSE CIRCULATION     | M / A / DTH   | Dk / Tk                 | 100–300            | 6000–80,000                  |
|   | Tk / Track  | TOP DRIVE ROTARY        | M / A / DTH   | Dk / Tk                 | 100–350            | 6000–80,000                  |
| <b>Mid-Western LLC</b><br>211 N. Main<br>Joplin, MO 64802<br>(417) 624-2400<br>(417) 624-2430 (fax)<br>info@mwdrill.com<br>www.mwdrill.com  | Tk / Tr<br>Track                                      | AUGER                   | A   |                         | 25–50              | 8800–11,000                  |
|   | Tk / Tr<br>ATV/Track                                  | TOP DRIVE ROTARY        | M / A / DTH   |                         | 25–50              | 8800–11,000                  |
|   | Tk / Tr<br>ATV/Track                                  | CORING                  | A   |                         | 25–50              | 8800–11,000                  |
| <b>Mobile Drill</b><br>3807 Madison Ave.<br>Indianapolis, IN 46227<br>(317) 452-4107<br>(317) 784-5661 (fax)<br>tina.wilkinson@mobiledrill.net<br>www.mobiledrill.net                 | Tk / Tr<br>ATV/Track                                  | TOP DRIVE ROTARY        | M / A / DTH   | Dk / Tk                 | 10–500+            | 5000–35,400                  |
|   | Tk / Tr<br>ATV/Track                                  | AUGER                   |   | Dk / Tk                 | 110–130            | 5000–35,400                  |
|   | Tk / Tr<br>ATV/Track                                  | REVERSE CIRCULATION     | M / A / DTH   | Dk / Tk                 | 10–500+            | 5000–35,400                  |
|   | Tk / Tr<br>ATV/Track                                  | DIRECT CIRCULATION      | M / A / DTH   | Dk / Tk                 | 10–500+            | 5000–35,400                  |
|   | Tk / Tr<br>ATV/Track                                  | SONIC                   | M / A   | Dk / Tk                 | 10–500+            | 5000–35,400                  |
|   | Tk / Tr<br>ATV/Track                                  | CORING                  | M / A   | Dk / Tk                 | 10–500+            | 5000–35,400                  |
| <b>REICHdrill Inc.</b><br>99 Troy Hawk Run Hwy.<br>P.O. Box 361<br>Philipsburg, PA 16866<br>(814) 342-5500<br>(814) 342-1135 (fax)<br>sales@reichdrill.com<br>www.reichdrill.com      | Tk / Track  | TOP DRIVE ROTARY        | M / A / DTH   | Dk                      | 440–950            | 13,250–70,000                |
| <b>RigKits LLC</b><br>6640-I Old Monroe Rd.<br>Suite 204<br>Indian Trail, NC 28079<br>(704) 290-2232<br>(647) 345-0609<br>(888) 364-5891 (fax)<br>info@rigkits.com<br>www.rigkits.com | Track   | TOP DRIVE ROTARY        | M / A / DTH   | Dk                      | 40                 | 10,000                       |
|   |   | AUGER                   | M / A / DTH   | Dk                      | 40                 | 10,000                       |



Marl



Midwestern



Mobile



Schramm



Simco



Sonic Drill



US Exploration



Watson

| Company Name and Address  | RIG MOUNTS<br>Tk – Truck<br>Tr – Trailer<br>ATV/Track | DRILLING TYPE          | DRILLING METHOD<br>M – Mud<br>A – Air<br>DTH – Hammer | POWER                   |                  | PULLBACK<br>In lbs<br>min – max |
|---|---|------------------------|---|-------------------------|------------------|---------------------------------|
|   |   |                        |   | Dk – Deck<br>Tk – Truck | HP<br>min – max  |                                 |
| <b>Schramm Inc.</b><br>800 E. Virginia Ave.<br>West Chester, PA 19380<br>(610) 696-2500<br>(610) 696-6950 (fax)<br>schramm@schramm.com<br>www.schramm.com                             | Tk / Tr<br>Track                                      | DIRECT<br>CIRCULATION  | M / A / DTH   | Dk                      | 465–760          | 30,000–200,000                  |
|   | Tk / Tr<br>Track                                      | REVERSE<br>CIRCULATION | M / A / DTH   | Dk                      | 465–760          | 30,000–200,000                  |
|   | Tk / Tr<br>Track                                      | TOP DRIVE<br>ROTARY    | M / A / DTH   | Dk                      | 465–760          | 30,000–200,000                  |
| <b>SIMCO Drilling Equipment Inc.</b><br>802 Furnas Dr.<br>Osceola, IA 50213<br>(855) 222-8572<br>info@simcodrill.com<br>www.simcodrill.com  | Tk / Tr / ATV   | AUGER                  |   | Dk / Tk                 | 40–71            | 7600–12,000                     |
|   | Tk / Tr / ATV   | DIRECT<br>CIRCULATION  | M / DTH   | Dk<br>Tk                | 40–71<br>40–300+ | 7600–12,000<br>7600–29,000      |
|   | Tk / Tr / ATV   | TOP DRIVE<br>ROTARY    | M / DTH   | Dk / Tk                 | 71–300+          | 12,000–29,000                   |
|   | Tk / Tr / ATV   | SONIC/<br>CORING       | Coring  | Dk / Tk                 | 40–300+          | 7600–29,000                     |
|   | Tk / Tr / ATV   | REVERSE<br>CIRCULATION | M / A   | Dk / Tk                 | 71               | 12,000                          |
| <b>Sonic Drill Corp.</b><br>119 N. Commercial St.<br>Suite 190<br>Bellingham, WA 98225<br>(604) 854-1383<br>(604) 854-1384 (fax)<br>tom.savage@sonic-drill.com<br>www.sonic-drill.com | Tk / Tr<br>Track                                      | SONIC                  | Sonic   | Dk / Tk                 | 100–300          | 25,000                          |
| <b>USEXPLORATION Equipment Co.</b><br>3510 E. Raymond St.<br>Indianapolis, IN 46203<br>(317) 780-0117<br>(317) 780-9126 (fax)<br>bknorr@useeco.net<br>www.useeco.net                  | Tk /<br>ATV/Track                                     | SONIC/<br>CORING       | M / A / DTH   | Dk<br>Tk                | 110<br>173       | 8000<br>13,000                  |
| <b>Watson Drill Rigs</b><br>4015 South Freeway<br>Fort Worth, TX 76110<br>(817) 927-8486<br>(817) 927-8716 (fax)<br>sales@watsonusa.com<br>www.watsonusa.com                          | Tk / Tr   | AUGER                  | Auger   | Dk                      | 140–325          | 18,000–80,000                   |
|   | Track   | TOP DRIVE<br>ROTARY    | M / A / DTH   | Dk                      | 90               | 20,250                          |