



**Phone/** Toll-free 800 551.7379/ 614 898.7791 **Fax/** 614 898.7786

**Web/** [www.ngwa.org](http://www.ngwa.org) and [www.wellowner.org](http://www.wellowner.org)

**Address/** 601 Dempsey Road/ Westerville, Ohio 43081-8978 U.S.A.

## **NGWA Public Review Comment Sheet for Best Suggested Practices**

Draft and revision Best Suggested Practice documents are made available to the public for a comment period. During this time the document can be downloaded and suggested revisions submitted for consideration. All suggested revisions are to be made on this sheet. Comments will only be accepted during the comment period as stamped on draft, unless immediate health or safety issues are evident. All revisions are to be submitted in e-mail format to [industrypractices@ngwa.org](mailto:industrypractices@ngwa.org), faxed to 614 898.7786 attention Jessica Rhoads, or mailed to NGWA 601 Dempsey Rd, Westerville, OH 43081. Thank you!

**Document Title:** \_\_\_\_\_

**Location of Text #:** \_\_\_\_\_  
(ex: Page 4, Paragraph 2, Line 14)

**Proposed revision:**  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**The following section must be completed for revision consideration.**

Name: \_\_\_\_\_

Address: \_\_\_\_\_

E-mail: \_\_\_\_\_

Phone number: \_\_\_\_\_